



Erin Bassett


Scrapbooking is a great creative outlet. Here's one of my layouts to help get you started.

MATERIALS:

“Park Bench” collection kit: Fancy Pants Designs, Webster’s Pages “Chevron” overlay transparency, Unity Stamp Co.: paw print stamp, Lawn Fawn letter stickers, Tiny Attacher stapler and staples, adhesive, black pen, black ink, Brother™ ScanNCut machine

- step 1.** Cut the following strips of paper -
12" x 3" patterned paper design #1 (blue pattern)
12" x 2" patterned paper design #2 (floral)

- step 2.** Using the ScanNCut machine, cut two scalloped border pieces. To do this, apply patterned paper design #3 (black and white) to the mat. Press “Patterns,” and then the borders button. Then scroll through to find the border you would like to use. Adjust the size (0.78" x 11.52"). Change the number to cut to “2.” In the following order, press “Set,” “OK,” “Cut,” and “Start.”



Note: Select either the low tack mat or the standard mat depending on the thickness of your papers. For thin paper, use the low tack mat.

step 3. *To cut out the photo corners and heart frame, do the following:* Apply blue cardstock to the standard mat. Load it into the ScanNCut machine. Press “Patterns,” followed by the “Flower/Gift” icon. Press the “Frame” icon, scroll to the second page and press design “AR-K016.” Change the height to 2.5” x 2.63” and press “OK” twice. Next, in this order, press: “Set,” “Add,” “Patterns” and finally, the “Shapes” icon. Scroll to the “Heart” icon and press. Adjust the size to 1.17” and press “Set.” Drag the heart into the center of the bracket shape.

To merge the shapes: Press the “Mat” icon on the upper left side of the screen. Then press the icon with the three squares on it. Press the “Mat” icon again to select all of the shapes on the mat and press “OK.” Next, press the “Merge” icon, followed by “OK.” You can then move the merged shape anywhere you’d like it to be.

To add the photo corners: Pick “Add” and press the “Flower/Gift” icon. Press the “Frame” icon, scroll to the third page and press design “AR-K036.” Size them to 1.19” x 1.19”, increase the number to “2,” pick “Set,” and then press “OK.” Press “Cut” and “Start.”



- step 4.** To cut out the transparent heart, apply the Chevron transparency to the standard mat and load it into the ScanNCut machine. Press “Patterns,” followed by Shapes” and then scroll, find and select the heart shape. Adjust the size to 3”, and press “Set.” Before hitting “Cut,” click on the “Setting” button (wrench symbol). Scroll down and change the cutting pressure to “6.” Make sure your blade is adjusted to the thickness of the transparency (I set mine at “6”). Once your setting adjustments have been made, press “OK” and then “Cut.”



- step 5.** You can then assemble the layout as shown in the sample photo.

